


USE YOUR IMAGINATION WITH THESE SHAPES...

THE LINEAR MICRO FAMILY



PRECILUM[®]
SPECIAL LED LIGHTING SOLUTIONS



CONTENT

STRAIGHT LINES 03

CLOSED SHAPES 90° 04


OPEN SHAPES 90° 05

OPEN SHAPES 120° 06

ABOUT

BENT PROFILE 90°, 120°

1. SPACE FOR WIRES
2. LED STRIP
3. FLEXIBLE DIFFUSER
4. PC MOUNTING CLIPS
5. BENDED ALUMINIUM PROFILE




LINEAR PROFILE

1. SPACE FOR WIRES
2. LED STRIP
3. FLEXIBLE DIFFUSER
4. CLICK SYSTEM
5. LOAD-BEARING ALUMINIUM PROFILE
6. REPLACEABLE PROFILE WITH LED STRIP

The range of straight lines gives a wide choice of lengths and shapes. Its longitudinal design and compact size meaning that it can be perfectly integrated into modern and contemporary spaces. It helps the visitors or customers by leading them on a path in halls, offices, retail spaces, hotels, as well as conference or exhibition spaces.

STRAIGHT LINES



LINEAR



2 700K - 6 500K

| | |
|---------------|---|
| INPUT VOLTAGE | 24V DC |
| POWER | 5 W/m, 10 W/m, 15 W/m |
| DIMENSIONS | L=up to 3000 mm*, 18,4 × 34 mm |
| MATERIALS | Aluminium profiles, flexible diffuser, PC mounting clips |
| CONTROL | ON/OFF, dimmable by external driver |

* Exact length according to led strip divisibility

CLOSED SHAPES 90°



2 700K - 6 500K

90°

| | |
|---------------|--|
| INPUT VOLTAGE | 24V DC |
| POWER | 5 W/m, 10 W/m, 15 W/m |
| DIMENSIONS | L=up to 3000 mm*, 18,4 × 34 mm |
| MATERIALS | Aluminium profiles, flexible diffuser, PC mounting clips |
| CONTROL | ON/OFF, dimmable by external driver |

* Exact length according to led strip divisibility



With PRECILUM custom design, you can really bring your interior to life. Thin profile can provide the perfect fit for your interior design. You can use your imagination with this luminaire, individual, intensive shapes can be produced by your desire.

OPEN SHAPES 90°



LINEAR



2 700K - 6 500K

| | |
|---------------|--|
| INPUT VOLTAGE | 24V DC |
| POWER | 5 W/m, 10 W/m, 15 W/m |
| DIMENSIONS | L=up to 3000 mm*, 18,4 × 34 mm |
| MATERIALS | Aluminium profiles, flexible diffuser, PC mounting clips |
| CONTROL | ON/OFF, dimmable by external driver |

* Exact lenght according to led strip divisibility



OPEN SHAPES 120°



120°



2 700K - 6 500K

| | |
|---------------|--|
| INPUT VOLTAGE | 24V DC |
| POWER | 5 W/m, 10 W/m, 15 W/m |
| DIMENSIONS | L=up to 3000 mm*, 18,4 × 34 mm |
| MATERIALS | Aluminium profiles, flexible diffuser, PC mounting clips |
| CONTROL | ON/OFF, dimmable by external driver |

* Exact length according to led strip divisibility



PRECILUM[®]
SPECIAL LED LIGHTING SOLUTIONS

CLEVER DESIGN
NEVER AGES...

757 01 VALASSKE MEZIRICI
CZECH REPUBLIC

SALES@PRECILUM.COM

+420 603 770 788

WWW.PRECILUM.COM